

# Biomass combustion through hydrothermal method

Antonio Pezone

Citation: Pezone A. Biomass combustion through hydrothermal method. *J Environ Chem Toxicol* 2021; 5(6):1.

## EDITORIAL

Carbon compounds have a long history of synthesis and application, and carbon black, produced from fuel-rich incomplete combustion, has been used for ink, paints, and tattoos for over 3000 years. Since the discovery of fullerenes and carbon nanotubes, material science involving valuable carbon compounds has been a hot topic, with applications in carbon fixation, catalytic supports, adsorbents, gas storage, electrode, carbon fuel cells, and cell biology. Many synthetic methods for the manufacture of amorphous, carbonaceous, porous, or crystalline carbon materials with variable size, shape, and chemical compositions have been documented, including carbonization, high-voltage-arc electricity, laser ablation, or hydrothermal carbonization. In this Review, we'll look at a more sustainable technique that depends on low specific energy input and uses biomass instead of fossil-fuel-based starting materials. Because it is accessible in high quality and large quantities, as well as being an environmentally beneficial renewable resource, biomass is a qualified carbon raw material for the synthesis of valuable carbon compounds.

The manufacturing of bioethanol, which has arisen as a new automotive fuel, is an example of its potential. In 2007, more than 7 billion gallons of bioalcohol were generated in the United States. Almost all light autos in Brazil operate on a mixture of gasoline and bioalcohol, and equivalent scales for materials, with corresponding carbon products assumed, are easily imaginable. Even though waste biomass originating from agricultural lands and forest leftovers is abundant, it has received little attention as a raw resource since it has only been utilised to raise the value of waste biomass by simple burning. Carbon materials made from waste biomass have showed promise as sorbents, hydrogen storage, biochemicals, and other uses. The issue is that no generic and acceptable procedure for producing useful carbon

materials from crude biomass has been developed to yet. In this regard, a hydrothermal carbonization method might become a strong technology for the synthesis of valuable carbon compounds from biomass, particularly crude biomass. Two HTC processes may be distinguished based on various experimental circumstances and response mechanisms.

A high-temperature HTC method based on biomass pyrolysis is capable of producing carbon nanotubes, graphite, and activated carbon materials at high temperatures and pressures. A low-temperature HTC technique, which employs many chemical transformation cascades and is more ecologically friendly, is carried up to 250°C. This method has been used to create a variety of carbonaceous materials with varied sizes, shapes, and surface functional groups. These carbonaceous compounds may also be combined with other materials, such as noble metal nanoparticles, to create composites with unique chemical and physical characteristics.

We'll go into the idea and history of the HTC process at both high and low temperatures in this post. The HTC process's remarkable potential for preparing carbon compounds from biomass will be illustrated. Finally, we'll go through a few instances of carbonaceous materials from the HTC process being used in domains including the environment, catalysis, energy storage, biology, and sensing. Many minerals develop under hydrothermal conditions, which include the application of an aqueous media at temperatures over 100°C and pressures below 0.1 MPa. The hydrothermal technique has been widely employed for the synthesis of a wide range of solid-state chemicals such as oxides, sulphides, halides, molecular zeolites, and other microporous phases since its pioneering work in the 1960s and 1980s. The hydrothermal method is now widely used for the synthesis of diverse inorganic materials, including functional oxide and non-oxide nanomaterials of specified shapes and sizes, as well as the synthesis of novel solids.

Department of Medical Biotechnology, University of Naples Federico, Naples, Italy

Correspondence: Antonio Pezone, Department of Medical Biotechnology, University of Naples Federico, Naples, Italy, E-mail: armando.tripodi@unimi.it  
Received: December 21, 2021, Accepted: December 26, 2021, Published: December 31, 2021



This open-access article is distributed under the terms of the Creative Commons Attribution Non-Commercial License (CC BY-NC) (<http://creativecommons.org/licenses/by-nc/4.0/>), which permits reuse, distribution and reproduction of the article, provided that the original work is properly cited and the reuse is restricted to noncommercial purposes. For commercial reuse, contact [reprints@pulsus.com](mailto:reprints@pulsus.com)