

Vol.7 No.1

Graphdiyne-Tuned Interfacial Properties for Highly-Efficient Perovskite Solar Cells

T. Jiu^{*}, J. Li, M. Zhao Qingdao Institute of Bioenergy and Bioprocess Technology, CAS, Qingdao, 266101, China

Abstract

L he interfacial properties play a crucial role in determining the

performance of perovskite solar cells. We reported the effect of graphdiyne doped into both electron and hole transport layers of perovskite solar cells with an inverted structure based on MAPbI3. A peak power conversion efficiency beyond 20% was obtained with J-V hysteresis and stability remarkably improved. It reveals that the employment of doping graphdivne not only brings out an increase of electrical conductivity, electron mobility, and charge extraction ability in the interfacial layers, but improves film morphology of the electron transport layers and reduces charge recombination which contribute to an enhanced fill factor. Later, we first employed certain amount of graphdiyne (25%) as a host material in perovskite solar cells, which is reported to successfully push the device efficiency up to 21.01%, achieving multiple collaborative effects of highly crystalline qualities, large domain sizes and few grain boundaries. Furthermore, the current-voltage hysteresis was neligible, and device stability was appreciably improved as well. It is found that graphdiyne, as the host active material, significantly affects the crystallization, film morphology and a series of optoelectronic properties of perovskite active layer, exhibiting promising applications in the field of solar cells. This study indicates that applying graphdiyne is a promising strategy to optimize the performance of perovskite solar cells.



Biography:

Prof. Tonggang Jiu obtained his PhD in chemistry from Chinese Academy of Sciences (CAS) in 2006 (supervised by Prof. Yuliang Li, the academician of CAS). From 2007 to 2008, he worked as postdoctoral researcher associate in CEA Grenoble. France. Later, he continued his research on the hybrid impact ionization quantum dot solar cells at Eindhoven University of Technology, the Netherlands under the guidance of Prof. Rene Janssen. In 2010, he joined the University of Alberta working on characterization and synthesis of nanostructured the photovoltaics. Since Feb., 2017, he has been serving as a professor and the leader of Carbon Based Energy Conversion Materials Research Team at Qingdao Institute of Bioenergy and Bioprocess Technology, CAS. He has published over 60 research papers in reputed journals (J. Am. Chem. Soc., Angew. Chem. Int. Ed., Nano Lett., Nano Energy, etc).

- 1. Formamidinium-incorporated Dion-Jacobson phase 2D perovskites for highly efficient and stable photovoltaics; September 2020; DOI: 10.1016/j.jechem.2020.08.055
- The Possible Side Reaction in the Annealing Process of Perovskite Layer; July 2020ACS Applied Materials & Interfaces XXXX(XXX); DOI: 10.1021/acsami.0c09654
- 3. Improved interfacial property by small molecule ethanediamine for high performance inverted planar perovskite solar cells; June 2020Journal of Energy Chemistry 54; DOI: 10.1016/j.jechem.2020.06.029

<u>21st Edition of International Conference on Materials Science</u> and Engineering; August 03-04, 2020; London, UK

Qingdao Institute of Bioenergy and Bioprocess Technology, CAS, Qingdao, 266101, China

Correspondence: T. Jiu, Qingdao Institute of Bioenergy and Bioprocess Technology, CAS, Qingdao, 266101, China Received:04 January, 2022, Manuscript No. pulnl-22-29502, Editor assigned:07 January, 2022, Pre QC No. pulnl-22-2952 (PQ), Reviewed:22 January, 2022, QC No. pulnl-22-2952 (QC), Revised: 25 January, 2022, Manuscript No. pulnl-22-2952 (R), Published:28 January, 2022, DOI: 10.37532. pulnl-22-2952.

