


## High-energy supercapacitor based on activated carbon derived from Arachis hypogea biomass using different activating agents NcholuManvala.

University of Pretoria, Pretoria, 0028, South Africa

Abstract:In this work, porous activated carbon nanostructures were prepared from peanut (Arachis hypogea) shell waste (PSW) via twostep carbonization (CPSW) and activation process at elevated temperature using different activating agents KHCO3, K2CO3 and KOH with varying mass ratios. The textural properties obtained were depicted with relatively high specific surface area values of 1457 m2 g-1, 1625 m2 g-1 and 2547 m2 g-1 for KHCO3, K2CO3 and KOH respectively at a mass concentration of 1 to 4 which were complemented by the presence of a blend of micropores, mesopores and macropores. The structural analyses confirmed the successful transformation of the carbon-containing waste into an amorphous and disordered carbonaceous material. The electrochemical performance of the material electrodes was tested in a 2.5 M KNO3 aqueous electrolyte depicted its ability to operate reversibly in both negative and positive potential ranges of 0.90 V. The activated carbon obtained from the carbonized CPSW:AA with a mass ratio of 1:4 yielded the best electrode performance for all featured AAs. The porous carbons obtained using KOH activation displayed a higher specific capacitance and the lower equivalent series resistance as compared to others. The remarkable performance further corroborated the findings linked to the textural and structural partial of the metarial

**Biography:**NcholuManyala has her expertise in evaluation and passion in improving the health and wellbeing.Her open and contextual evaluation model based on responsive constructivists creates new pathways for improving healthcare. Email: drXXXXXX@xxxmail.com



## **Publications :**

- Schoonraad GL, Madito MJ, Manyala N, Forbes P (2020) Synthesis and optimisation of a novel graphene wool material by atmospheric pressure chemical vapour deposition. Journal of Materials Science 55:545-564
- Oyedotun KO, Masikhwa TM, Lindberg S, Matic A, Johansson P, Manyala N (2019) Comparison of ionic liquid electrolyte to aqueous electrolytes on carbon nanofibressupercapacitor electrode derived from oxygen-functionalized graphene. Chemical Engineering Journal 375: 121906.
- Sylla NF, Ndiaye NM, Ngom BD, Momodu D, Madito MJ, Mutuma BK, Manyala N (2019) Effect of porosity enhancing agents on the electrochemical performance of high-energy ultracapacitor electrodes derived from peanut shell waste. Scientific reports 9: 13673
- Ndiaye NM, Sylla NF, Ngom BD, Barzegar F, Momodu D, Manyala, N (2019) High-performance asymmetric supercapacitor based on vanadium dioxide/activated expanded graphite composite and carbon-vanadium oxynitride nanostructures. ElectrochimicaActa 316:19-32.
- Mirghni AA, Oyedotun KO, Mahmoud BA, Bello A, Ray SC, Manyala N (2019) Nickel-cobalt phosphate/graphene foam as enhanced electrode for hybrid supercapacitor. Composites Part B: Engineering 106953

World Congress on Carbon and Advanced Energy Materials March 16-17, 2020

**Abstract Citation:**<u>NcholuManyala,Carbon materials 2020</u>, World Congress on Carbon and Advanced Energy Materials, March 16-17, 2020, Biosynthesis, High-energy supercapacitor based on activated carbon derived from Arachis hypogea biomass using different activating agents.